



EVENTS  
BROCHURE





# FORECOURT POLE

The Forecourt Pole is a single section pole, made from 2mm thick 6082 T6 tempered aluminium. It has been designed with strength in mind for continual use outside on a forecourt. There are no joints in the pole avoiding weak point where a pole can bend. This pole provides a very economic option for large scale displays.

Available in two lengths, they can be powder coated in black or white as standard but custom colours are available for a minimum order quantity.

The Forecourt Pole is standardly supplied with a freely rotating 1m arm with joint and weight. If you wish to fly flags without an arm a cleat and halyard kit is available. These poles can be installed onto various mounts as shown below.

## Base Options

Car Wedge



Event Baseplate



D-Barrier Clamps



Wall Mounted Socket



## SPECIFICATIONS

Flagstaff Height A	4m	5m
Length of Main Section	4m	5m
Inside Diameter	40.39mm	40.39mm
Outside Diameter	44.45mm	44.45mm
Arm Length*	1m	1m
Arm Outside Diameter	20.4mm	20.4mm
Arm Inside Diameter	17.96mm	17.96mm
Weight	4kg	5kg
Max Flag Size (Portrait)	1 x 2.5m	1 x 2.5m
Max Flag Size (Landscape)	1.8 x 1.2m	1.8 x 1.2m
Minimum Persons for Assembly	1	1
Installation Time	10mins	10mins
Pole Packed Size	4.05 x 0.1 x 0.1m	5.05 x 0.1 x 0.1m
Carry Bag	On request	On request



# HD FEATHER POLE

The HD feather Pole is a single section pole, made from 2mm thick 6082 T6 tempered aluminium. It has been designed with strength in mind for continual use outside on a forecourt unlike it's portable equivalent. There are no joints in the pole avoiding a weak point where a pole can bend. This pole provides a stunning vista in large scale displays.

Available in two lengths, they can be powder coated in black or white as standard but custom colours are available for a minimum order quantity.

The rotating arm displays flags 80cm wide and up to 420cm long. Due to it's added strength the HD Feather Pole can display double sided flags up to 320cm long.

These poles can be installed onto various mounts as shown below.

## Base Options

Car Wedge



Event Baseplate



D-Barrier Clamps



Wall Mounted Socket



# SPECIFICATIONS

Pole Size	4.8m	5.8m
Height above ground	4.8m	5.8m
Length of curved arm	0.8m	0.8m
Int dia curved arm	25.63mm	25.63mm
Ext dia curved arm	28.57mm	28.57mm
Length of main section	4m	5m
Int dia main section	40.39mm	40.39mm
Ext dia main section	44.45mm	44.45
Weight	4kg	5kg
Max flag size	80cm x 320cm	80cm x 420cm
Packed size	5.05m x 0.1m x 0.1m	6.05cm x 0.1m x 0.1m
(Arm packed separately)	1.5m x 0.5m x 0.1m	1.5m x 0.5m x 0.1m
Minimum persons for assembly	1	1
Installation time	10mins	10mins



# FLAGTRAX

Flagtrax is a new and unique product which enables you to change flags from ground / lower levels quickly and easily, avoiding the use of lifts / cherry pickers and Road traffic management plans. The system comprises of a steel arm at the top, curved aluminium track and a push / pull raising and lowering mechanism. The unit can display flags up to 140cm wide and 400cm deep subject to the substrate you are fixing onto. Ideal for fixing onto existing lampposts, columns or walls, flagtrax offers a simplistic branding solution. When mounted centrally on a column two systems can be mounted together so that the display can be oriented in both directions to meet the footfall.

## SPECIFICATIONS

Arm Length	85cm
Arm Weight	4kg
Track Length (Standard)	4.34m
Height of track bottom from ground level	170cm
Min Column diameter*	218cm
Standard flag sizes*:	10cm
	76cm x 140cm
	76cm x 270cm
	76cm x 200cm

\*Custom sizes are available



# BANNER MAST

The Banner Mast is produced from 3.2mm thickness engineering grade 6082 aluminium alloy, it is installed into a 1m long, PVC-U ground socket for extra stability and strength, the mast is bolted into the socket to prevent rotation and movement.

Standardly the pole comes in grey, other colours are available, minimum qty applies.

Strong high grade black fibreglass arms, designed to flex in the wind. Powder coated aluminium brackets come in black, silver or white. The integrated spring loaded tensioning mechanism works with the arms to resist the wind loading on the banners. Each mast can accommodate up to two banners per column.

## SPECIFICATIONS

POLE		ARM UNIT	
Total Pole Height	6m	Exposed Arm Length	850mm
Exposed Pole Height	5.15mm	Arm Diameter	20mm
Pole Weight	17kg	Arm Weight	0.5kg
Pole Diameter	101.6mm	Bracket Weight	1.4kg
Wall Thickness	3.2mm	Combined unit Weight	
Socket Length	1000mm	(2 arms & 2 brackets)	3.8kg
Socket Wall thickness	3.2mm	Recommended Banner Size	800mm x 2000mm
Socket Outer Diameter	110mm	Maximum Banner Size	800mm x 2500mm
Socket Weight	1kg		





# TEARDROP POLE

This popular and stylish shaped flag and pole is lightweight and portable. The Teardrop is available in two sizes and is easy to assemble with no tools required. There is a large graphic area, and with the aid of an adjustable cleat, the tension is maintained providing a permanent view of your design.

With a range of suitable mounts, it can be used on any surface. There is the option of a 1.5m extension pole if required.

## SPECIFICATIONS

	Small	Large
Display Height	2.2m	3.6m
Storage Height	1.55m	1.55m
Banner Size	0.86m x 1.86m	0.86m x 3.39m
Weight (each)	0.65kg	1kg
Construction Materials:	Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening	Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening
* Extension pole can only be used on the small unit		

# FLEXILITE POLE

This fashionable feather shaped flag and pole is also lightweight and portable. The Flexilite is available in four sizes and is easy to assemble with no tools required. All of the flexilite poles collapse down and can be stored in a bag 1.55m long. With a range of suitable mounts, it can also be used on any surface. There is the option of a 1.5m extension pole if required.

## SPECIFICATIONS

	Large	Medium	Small	Mini
Display Height	5.2m	3.7m	2.6m	2.0m
Storage Height	1.55mm	1.55mm	1.05mm	1.05mm
Flag Size	0.65m x 4m	0.65m x 2.7m	0.65m x 1.8m	0.65m x 1.4m
Weight (each)	0.65kg	0.6kg	0.45kg	0.45kg
Construction Materials:	Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening	Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening	Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening	Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

\*Extension pole can only be used on the mini, small and medium unit







# WHEEL COVERS

One of our newest innovations are these attractive, effective but simple wheel covers. Constructed from polyester polystretch fabric, they are designed to fit 15"-18" wheels. Perfect for quick promotions, changed in minutes! Have one or four designs on one car.

## SPECIFICATIONS

Cover Width	58cm
Cover Height	31cm
Cover Depth	23cm
Construction Materials:	Polystretch Polyester

# CAR FLAGS

Perfect for quick promotions, the car flags are fast to change and economic display. We produce the standard rectangular 40cm x 30cm flags in knitted polyester which are flown from a plastic mast fitted onto your window. The other car flag we over is the teardrop, this shaped flag is displayed on a little carbon fibre pole and secured to your car with means of a suction base.

## SPECIFICATIONS

Shape	TEARDROP
Flag Size	26cm x 60cm
Material	Knitted Polyester
Pole Height	70cm
Pole Material	Black carbon fibre



## SPECIFICATIONS

Shape	RECTANGULAR
Flag Size	40cm x 30cm
Material	Knitted Polyester
Pole Height	55cm
Pole Material	Premium White Plastic





# ROLLER BANNER

The Roller banner Lite is a Quickroll lightweight banner stand with anodised aluminium body, Pre-tensioned spring (no need to roll up and store graphics seperately), Elasticated pole stores inside stand when not in use, comes complete with 850 mm wide graphic panel in 125 micron opal jet film with scratch resistant crystal overlamine, packed in a padded carry bag. Exceedingly portable, a perfect asset to any exhibition, the Roller Banner can be installed in minutes and when finished with, it is simply stored back in it's own base unit. Although lightweight, this unit is resilient and sturdy due to its two foldable feet which turn outwards to provide stability

## SPECIFICATIONS

Banner Size	80cm x 200cm	85cm x 200cm
Unit O/A Size	86cm x 231cm x 40cm	91cm x 231cm x 40cm
Unit Weight	2.69kg	2.84kg

# POP-UP FABRIC BACKDROP

This large, high impact display unit perfect for exhibitions and showrooms. It is available in three sizes and comes with single or double sided graphics. The unit can be assembled by one person, with easy to fit silicon edged graphics. The backdrop has feet for maximum stability and is supplied with it's own carry case for ease of transport.

There is an addition option of a LED ladder of lights which are secured inside the unit to make it into a lightbox.



## SPECIFICATIONS

Unit Size	2 x 3	3 x 3	4 x 3
Unit Height	225cm	225cm	225cm
Unit Width	149cm	225cm	299cm
Unit Depth	36cm	36cm	36cm
Unit Weight (incl Graphic)	13kg	14.5kg	16.5kg
Shipping Size	86cm x 36cm x 23cm	86cm x 36cm x 23cm	86cmx36cmx23cm
Unit weight (incl lights)*	19kg	25kg	19kg
Shipping Size (incl lights)*	3 bags: 1 x 86cm x 36cm x 23cm 2 x 33cm x 30cm x 94cm	4 bags: 1 x 86cm x 36cm x 23cm 3 x 33cm x 30cm x 94cm	5 bags: 1 x 86cm x 36cm x 23cm 4 x33cmx30cmx94cm
Assembly time	10mins	15mins	20mins
Assembly time (with lights)	15mins	20mins	25mins

\*This is for back lit only, a back and front lit unit would have double the amount of lights





# BARRIER COVERS

The barrier covers are a highly visible, cost effective form of advertising. Available in various substrates, they are perfect for any outdoor event. The covers are lightweight, portable, durable and washable and can be finished to match your own barrier style. Maximise your advertising potential by using both sides of your cover for your message.

## SPECIFICATIONS

Standard Panel sizes*	230cm x 90cm 250cm x 90cm
Available substrates	Knitted polyester, PVC Mesh Polyester air-mesh, polystretch
Production method	Digital and screen printed
Area of use	Outdoor
Delivery schedule	12 - 15 working days


\*Accurate panel sizes required including fixing positions to produce a snug cover or sleeve

# FLEXI BANNER

The Flexi Banner is perfect for any outdoor event. It expands for instant impact, it is lightweight and easily transportable. The frame itself is constructed from flexible fibreglass with the banners produced from heavy duty polyester. Available in a variety of shapes and sizes with the graphics viewable on both sides. The unit is supplied complete with pegs and carry bag




## SPECIFICATIONS




Sizes:  
140cm x 75cm  
180cm x 80cm  
230cm x 100cm

Heavy knitted polyester banner with carbon fibre frame




Sizes:  
130cm x 66cm  
169cm x 69cm  
204cm x 104cm

Heavy knitted polyester banner with carbon fibre frame



Sizes:  
74cm diameter  
124cm diameter  
144cm diameter

Heavy knitted polyester banner with carbon fibre frame



Sizes:  
74cm x 90cm  
92cm x 110cm  
106cm x 125cm

Heavy knitted polyester banner with carbon fibre frame



# EVENT BARRIER



The Event Barrier is a premium barrier system, It's advantage is the variations of configurations into which they can be displayed..

They are strong yet lightweight, constructed from black powder coated aluminium tubing. The frames are adjustable creating the perfect tension to your banner. The system can display single or double sided banners in various substrates. Additional systems can be added at a later date if required. The units are easy to assemble with only one person required. The barriers are mounted onto strong rotationally moulded plastic bases, these are filled with water / sand and can be used on any surface, indoor or outdoor\*

## SPECIFICATIONS

Horizontal Bar Length	1m	1.5m	2m
Horizontal Bar Diameter	28mm	28mm	28mm
Upright Height	0.95m	0.95m	0.95m
Upright Diameter	28mm	28mm	28mm
Frame Weight	2kg	2.4kg	2.6kg
Banner Size	90 x 90cm	140 x 90cm	190 x 90cm
Package Size	1m x 0.30m x 0.10m	1m x 0.30m x 0.10m	1m x 0.30m x 0.10m
Base Size	37 x 20cm	37 x 20cm	37 x 20cm
Base Weight (sand)	18kg	18kg	18kg
Area Of Use	Indoors/Outdoors	Indoors/Outdoors	Indoors/Outdoors
Minimum Persons For Assembly	1	1	1
Assembly Time	10mins	10mins	10mins

## BANNERS

The PVC banner is the preferred option for External Banners as they provide longevity and high quality graphics to withstand the good old British weather at any outdoor event.

Fabric banners are becoming more popular as they are far easier to transport and store with the added bonus of being able to throw them in a washing machine if required. These can be produced in Polyester mesh, knitted polyester or heavy polyester all lightweight in comparison to PVC





# BUNTING

Bunting is available in a variety of shapes and sizes. It can be supplied as single or double sided pennants. Standard size offered is 20cm x 30cm pennants in a 10m string. Strings are available in a number of materials. Perfect decoration for any event indoors or outdoors.

# PROMO TENT

Full digital branding make these the perfect marketing tool. Quality Aluminium frames are available in a standard diameter of 40mm or heavy duty 50mm in two standard sizes of tent. You can have just the roof canopy only, full or half walls, with the options of a door or windows. The material is 500d PU coated, fire resistant with UV protection. There is an option for a wheeled bag for the frame and various weight solutions. If you wish to add flags to your display, rotating spigots connectors option are available.



# SPECIFICATIONS

	Small		Large
Quality	Standard	HD	HD
Marquee Size	3m x 3m	3m x 3m	6m x 3m
Marquee Height	285cm	285cm	285cm
Frame Diameter	40mm	50mm	50mm
Panel Size			
(Half Wall)	3 x 1.08m	3 x 1.08m	3 x 1.08m
(Full Wall)	3 x 2m	3 x 2m	3 x 2m
Frame Weight	18.2kg	23.5kg	31.5kg
Canope Weight	3.4kg	5.6kg	6.6kg
Panel Weight			
(Half Wall)	0.7kg	1.5kg	1.5kg
(Full Wall)	1.5kg	2.5kg	3kg
Bag Weight	3kg	4.7kg	5.5kg
Persons for assembly	2	2	4

**ZEPHYR**  
WE MAKE YOUR BRAND FLY