



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Fashionable feather shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*



SPECIFICATIONS

Display Height Storage Height Flag Size Weight (each) Construction Materials

*Extension pole can only be used on the mini, small and medium unit

Large

5.2m 1.55mm 0.65m x 4m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium

3.7m 1.55mm 0.65m x 2.7m 0.6kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Small

2.6m 1.05mm 0.65m x 1.8m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini


2.0m 1.05mm 0.65m x 1.4m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

RANGE



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Popular and stylish wide format shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

ZEPHYR



SPECIFICATIONS

Classic Shape

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on mini, small, medium unit

Large 3.3m 1.55m


1.32m x 2.44m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium

2.9m 1.55m 1.16m x 2m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening 2.25m 1.55m 0.92m x 1.38m 0.55kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini

1.6m 1.05m 0.6m x 1.1m 0.35kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Popular and stylish wide format shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in two sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

SPECIFICATIONS

Teardrop Shape


Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on small and medium unit


Medium

3.5m 1.55m 0.9m x 2.7m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Small

3.1m 1.55m 0.8m x 2.2m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Stunning shape with extra large design area
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*



SPECIFICATIONS

Display Height Storage Height Flag Size Weight (each) Construction Materials:

*Extension pole can only be used on mini, small and medium unit

Large


3.1m 1.55m 0.9m x 2.7m 0.95kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium

2.6m 1.55m 0.9m x 1.8m 0.8kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Small 2.1m 1.05m 0.9m x 1.5m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Mini

1.6m 1.55m 0.4m x 1.3m 0.4kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

EURO RANGE



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Exciting new shape
- Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

<image><section-header>

Display Height Storage Height Flag Size Weight (each) Construction Materials:

*Extension pole can only be used on mini, small and medium unit

Large

3.1m 1.55m 0.9m x 2.7m 0.95kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium

2.6m 1.55m 0.9m x 1.8m 0.8kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Small 2.1m 1.05m 0.9m x 1.5m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini

1.6m 1.55m 0.4m x 1.3m 0.4kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

EURO RANGE



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Popular and stylish teardrop shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in two sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

<image>

SPECIFICATIONS

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on the small unit


Small

2.2m 1.55m 0.86m x 1.86m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Large

3.6m 1.55m 0.86m x 3.39m 1kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



ZEPHYR



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Traditional rectangular shape, landscape or portrait
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

SPECIFICATIONS

Display Height Storage Size Flag Size Weight (each) Construction Materials:

*Extension pole can only be used on mini, small and medium unit

Large

3m 1.55m 0.9m x 2.7m 1kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium


2.5m 1.55m 0.6m x 1.8m 0.6kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Smal

1.8m 1.05m 0.45m x 1.5m 0.5kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini

1.3m 1.05m 0.4m x 1.1m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Eye catching shape with an extra wide format
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in two sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

<image>

SPECIFICATIONS

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on the small unit

Medium

3m 1.55m 0.98m x 1.88m 0.75kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Small

2.5m 1.55m 0.85m x 1.61m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



- > Functional, stylish design
- > High quality, robust, rotationally moulded plastic
- > Tested and proven in demanding weather conditions
- > Wide profile to maximise stability
- > Ideal for both indoor and outdoor use
- > Removable steel spigot allows easy transportation
- > Spigot clips under base for storage
- > Bases stack when not in use
- > Can be filled with water, sand or both

SPECIFICATIONS

Vega Base Size Weight (each)

Nova Base: Size Weight (each)

Construction materials

370mm x 370mm x 200mm 1.9kg (empty) 13kg (filled with water) 20kg (filled with sand)

610 x 610 x 200mm 4.6kg (empty 30kg (filled with water) 20kg (filled with sand)

Polyethylene plastic, Plastic fixtures Steel spigot (removable) Other base colours are available



GROUND MOUNTS

IN-GROUND MOUNT

This stainless steel mount can be pressed permenantly into lawns or concreted into place.

When not in use simply remove the spigot and fit the rubber plug to keep out dirt.

As the top plate is flush with surface there is no restriction to pedestrians or lawn mowing.

SPECIFICATIONS

Size: 300mm x 100mm x 100mm

Weight (each): 0.65kg

Construction materials: Stainless Steel

GROUND STAKE

Economical and portable, this zinc plated steel mounting will provide sturdy support in most ground conditions.

It can be tapped into the ground with a hammer or mallet and is easy to remove.

Ensure the stake is vertical and push firmly into the ground. Tap the top of the angled steel section with a mallet until at least 70% has gone into the ground. Do not hammer the 12mm spigot. Fit the pole over the spigot.

SPECIFICATIONS

Size: 620mm x 70mm x 25mm

Weight (each): 0.65kg

Construction materials: Zinc Plated Steel













OTHER MOUNTS & ACCESSORIES

ANGLED FIXED MOUNT

This 30° angled zinc plated steel mount is designed for use on walls, fences or platforms. It allows the pole to rotate freely in the wind, and to be easily displayed or removed as required. Attach with bolts and or screws* as appropriate. 'U' bolts can be used for fixing to poles or fence posts up to 55mm diameter. *not supplied

SPECIFICATIONS

Size: 260 x 100 x 150mm

Weight each: 0.65kg

Construction materials: Zinc Plated Steel

Angle: 30°

Mounting design may vary slighly from illustration.

JOCKEY WHEEL ADAPTOR

The jockey wheel adapter has been especially designed for displaying the Euro poles on a caravan jockey wheel.

The spigot which goes into the jockey wheel is 42mm in diameter. Perfect for instant displays at Caravan Parks.

SPECIFICATIONS

Size: 260 x 50 x 50mm

Weight each: 0.65kg

Construction materials: Plastic Zinc Plated Steel



Mounting design may vary slighly from illustration.

VERTICAL FIXED MOUNT

The vertical zinc plated steel mount is designed for use on walls, fences or platforms. It allows the pole to rotate freely in the wind, and to be easily displayed or removed as required. Attach with bolts and or screws* as appropriate. 'U' bolts can be used for fixing to poles or fence posts up to 55mm diameter. *not supplied

SPECIFICATIONS

Size: 290 x 100 x 60mm

Weight each: 0.65kg

Construction materials: Zinc Plated Steel

Angle: 90°

Mounting design may vary slighly from illustration.

CARRY BAGS

A carry will make transporting your display safe and convenient and will ensure your display always arrives at it's destination looking its best.

Pole Carrying Bag (Green) A robust slim carry bag designed to fit the pole, flag/ banner and ground stake mounting option.

Vega/Nova Carrying Bag (Green) A robust carrying bag designed to carry the vega/nova base.

SPECIFICATIONS

Vega Bag Size: 530 x 560mm

Nova Bag Size: 720 x 720mm

Weight (each): 0.1kg


Construction Materials: PU Coated Heavy Duty Nylon

Colours: Green









- > Can be used anywhere a car is parked
- > High quality, robust steel plate
- > Zinc plated with a black powder coated finish
- > Tested and proven in demanding weather conditions
- > Removable steel spigot allows easy transportation
- > Only weighs 2.4kg
- > Custom rotating spigot option available



SPECIFICATIONS

Size: 405mm x 210mm x 70mm (250mm long spigot is extra)

Weight (each): 2.4kg

Construction Materials: Powder Coated Zinc Plated Steel Steel Spigot

Colours: Black

The Car Wedge Mount is designed to fit under the wheel of a car creating a sturdy mounting point for your display.

The spigot is removable for easy storage and transportation.

Fit the 12mm spigot into the holder in the base plate of the car wedge mount. Tighten handle ensuring it is a secure fit.

Position your car wheel over the base. Choose an appropriate safe and flat site, and carefully position your pole over the 12mm spigot




- > Eye catching stylish shape, always readable
- > Possibility of displaying single and double sided flags
- Simple to assemble, comes complete with 45 degree bracket
- > Includes glasssfibre rod to prevent flag curling over
- > Manufactured in Europe from top quality materials
- > Cost effective display system
- > Strong yet lightweight
- > Very little strain is placed upon the wall bracket
- > Perfect for any display

<image><section-header>

Length Of Pole Outside Diameter Angle Of Bracket Bracket Plate Size Hole Centres Hole Diameter Maximum Angled Flag Size

1.5m 20mm 45 degree 85mm² 65mm² 7mm 60 x 105cm Recommended screw or bolt size 6mm.

Please ensure that the fixings you use are suitable, and that the supporting substrate is adequate enough to sustain the dynamic load created by the flag and flagpole. The ultimate performance of the unit will e dependant on the substrate onto which the unit is to be fixed. If you are unsure we suggest you seek professional advice.



> Premium barrier system, displayable in various configurations

- > Strong, lightweight, adjustable aluminium frame
- > Stylish black powder coated finish
- > Suitable for single or double sided banners
- > Additional systems can be added at a later date
- > Can be used on any surface, indoor or outdoor*
- > Easy to assemble, only one person required
- > Fillable, strong, rotationally moulded plastic bases
- > Bases available in eight stock colours

*We recommend the barrier is stored inside in extreme weather SPECIFICATIONS

Horizontal Bar Length Horizontal Bar Diameter Upright Height Upright Diameter Frame Weight Banner Size Package Size Base Size Base Weight (sand) Area Of Use Minimum Persons For Assembly Assembly Time 1m 28mm 0.95m 28mm 2kg 90 x 90cm 1m x 0.30m x 0.10m 37 x 20cm 18kg Indoors/Outdoors 1 10mins 1.5m 28mm 0.95m 28mm 2.4kg 140 x 90cm 1m x 0.30m x 0.10m 37 x 20cm 18kg Indoors/Outdoors 1 10mins

28mm 0.95m 28mm 2.6kg 190 x 90cm 1m x 0.30m x 0.10m 37 x 20cm 18kg Indoors/Outdoors 1 10mins

2m





-

11 A 11

3

Zephyr, Acorn Industrial Estate Islip, Northamptonshire NN14 3FD (Tel) +44 (0) 1832 734484 www.zephyr-tvc.com