




- > Cost effective subliminal advertising
- > Available in single or double sided format
- > Supplied to fit most pin formats
- > Made from hard wearing knitted polyester
- > Branded flags to promote your corporate golf day
- > Achieve a truly premium image for your club and course
- > Can be numbered from 1 to 18
- > Opportunity for a different graphic on either side



AVAILABLE OPTIONS

Standard Sizes	45cm x 30cm, 45cm x 36cm
Format	Single sided, double sided (same logo on each side), double sided (different logo on each side)
Finish	Tie tapes, Velcro tabs, plastic sleeve insert or large sleeves to cover existing flags
Material	Knitted polyester, Heavy weight polyester, black backed fabric
Production Method	Digitally printed

Acorn Industrial Estate | Islip | Northamptonshire | NN14 3FD | (Tel) +44 (0) 1832 734484 | www.zephyr-tvc.com



- > Raise and lower the podium with little effort
- Holds up to 15 kilos on it's top plate
- > Graphics can be easily changed
- > The fabric cover is also washable
- > Supplied with its own carry case
- > Instant Impact in seconds
- > The graphics remain in place when stored
- > Fits easily in the boot of a car
- > Full 360 degree advertising



SPECIFICATIONS

Unit Height - 97cm Unit Width - 36cm Unit Length - 60cm Unit Weight - 5.36kg Unit Weight (incl case) - 8.0kg Fabric Cover - 173.9 x 94cm Case Size: - 78cm x 47cm x 12cm Maximum recommended weight used on unit - 15kg Area of use - indoor/sheltered outdoor Delivery schedule - 10 - 12 w/days Minimum persons for assembly - 1 Assembly time - Almost Instantly Changing graphics - 5 mins



See the Air Raiser in action





I.I.T

JENNOR TIMBER

nortimber.co.uk

Puislip 0208 8453141

TH

www.thenoeljohnstonfoundation.com

> Premium barrier system, displayable in various configurations

- > Strong, lightweight, adjustable aluminium frame
- > Stylish black powder coated finish
- > Suitable for single or double sided banners
- > Additional systems can be added at a later date
- > Can be used on any surface, indoor or outdoor*
- > Easy to assemble, only one person required
- > Fillable, strong, rotationally moulded plastic bases
- > Bases available in eight stock colours

<image>

*We recommend the barrier is stored inside in extreme weather

2m

SPECIFICATIONS

Horizontal Bar Length Horizontal Bar Diameter Upright Height Upright Diameter Frame Weight Banner Size Package Size Base Size Base Weight (sand) Area Of Use Minimum Persons For Assembly Assembly Time 1m 28mm 0.95m 28mm 2kg 90 x 90cm 1m x 0.30m x 0.10m 37 x 20cm 18kg Indoors/Outdoors 1 10mins 1.5m 28mm 0.95m 28mm 2.4kg 140 x 90cm 1m x 0.30m x 0.10m 37 x 20cm 18kg Indoors/Outdoors 1 10mins

28mm 0.95m 28mm 2.6kg 190 x 90cm 1m x 0.30m x 0.10m 37 x 20cm 18kg Indoors/Outdoors 1 10mins

Acorn Industrial Estate | Islip | Northamptonshire | NN14 3FD | (Tel) +44 (0) 1832 734484 | www.zephyr-tvc.com

NGE

11

EVBG02

JENNOR TIMBER

www.jennortimber.co.uk

and Star

ERIDGE

Enfield 0208 8052121 Ruislip 0208 8453141


P

- > Expands for instant impact
- > Lightweight and easily transportable
- > Integral flexible fibreglass frame
- > Available in a variety of sizes and shapes
- > Single person assembly
- > Heavy duty polyester graphic both sides
- Complete with pegs and carry bag






SPECIFICATIONS



Sizes: 140cm x 75cm 180cm x 80cm 230cm x 100cm


Heavy knitted polyester banner with carbon fibre frame



Sizes: 130cm x 66cm 169cm x 69cm 204cm x 104cm

Heavy knitted polyester banner with carbon fibre frame Sizes: 74cm diameter 124cm diameter 144cm diameter

Heavy knitted polyester banner with carbon fibre frame



Sizes: 74cm x 90cm 92cm x 110cm 106cm x 125cm

Heavy knitted polyester banner with carbon fibre frame



- > Full digital branding make these the perfect marketing tool
- > Quality aluminium frames
- > Available as a standard 40mm or heavy duty 50mm frame
- > Roof canopy only, full or half sides, windows and door option
- > Material is 500d PU coated, fire resistant with UV protection
- > Two standard sizes available
- > Option for a wheeled bag for the frame
- > Rotating spigots connectors option for additional flags
- > Various weighting solutions



SPECIFICATIONS

Quality Marquee Size Marquee Height Frame Diameter Panel Size (Half Wall) (Full Wall) Frame Weight Canope Weight Panel Weight Panel Weight Bag Weight Persons For Assembly Standard 3m x 3m 285cm 40mm 3 x 1.08m 3 x 2m 18.2kg 3.4kg 0.7kg 1.5kg 3kg 2 HD 3m x 3m 285cm 50mm 3 x 1.08m 3 x 2m 23.5kg 1.5kg 2.5kg 4.7kg 2 HD 6m x 3m 285cm 50mm 3 x 1.08m 3 x 2m 31.5kg 6.6kg 1.5kg 3kg 5.5kg 4



- > Variable substrate options
- > Easy to install
- > Large visual impact
- > Cost effective advertising
- > Perfect for outdoor events
- > The covers are lightweight, portable and durable
- > Can be finished to match your individual barrier style
- > Design can be printed on both sides of the sleeve

> Highly visable



SPECIFICATIONS

Standard Panel Sizes*

Available Substrates

Production Method

Area Of Use

Delivery Schedule

230cm x 90cm 250cm x 90cm

Knitted polyester, PVC Mesh Polyester air-mesh, Polystretch

Digital and screen printed

Outdoor

12 - 15 working days

*Accurate panel sizes required including fixing positions to produce a snug cover or sleeve



- Single section pole, made from 2mm thick 6082 T6 tempered aluminium
- > Designed with strength in mind for continual use outside on a forecourt
- > Available in two lengths
- > Can be installed onto a wide range of mounts (see seperate sheet)
- > Rotating arm displays flags 80cm wide and up to 420cm long
- Can support single or double sided flags
- > Available in black or white as standard
- Custom colours available for a minimum quantity
- Economic choice for large scale displays



CIFICA'

Pole Size Height Above Ground Length Of Curved Arm Int Dia Curved Arm Ext Dia Curved Arm Length Of Main Section Int Dia Main Section Ext Dia Main Section Weight Max Flag Size Packed Size (Arm packed separately) Minimum Persons For Assembly Installation Time

4.8m 4.8m 0.8m 25.63mm 28.57mm 4m 40.39mm 44.45mm 4ka 80cm x 320cm 5.05m x 0.1m x 0.1m 1.5m x 0.5m x 0.1m 1 10mins

5.8m 0.8m 25.63mm 28.57mm 5m 40.39mm 44.45mm 5ka 80cm x 420cm 6.05m x 0.1m x 0.1m 1.5m x 0.5m x 0.1m 1 10 mins

5.8m



MOUNT ^z OPTIONS

For use with a Forecourt, HD Feather or Vision Pole

CAR WEDGE

Our strong and sturdy Wedge can be used in conjunction with any vehicle. The Wedge enables you to display a flag wherever you can park a car. It is simple to use providing a sturdy but temporary position for your flagpole. The spigot extends well into the pole providing a safe and stable display with no nuts and bolts around to damage the vehicle.

Our Wedge is constructed from 5mm steel, zinc coated to give a strong and professional finish to your display

SPECIFICATIONS

Length	405mm
Width	316mm
Overall Height	239mm
Height Of Spigot	200mm
Internal Diameter Of Spigot	28mm
External Diameter Of Spigot	40mm
Weight	6kg

GROUND SOCKET

The Ground Socket is to be used for permanent displays. The socket is concreted into the ground, providing a secure 'glove' for the pole to sit in, thus increasing the safety and longevity of the pole preventing any damage to the base of the pole whilst keeping the pole vertical.

SPECIFICATIONS

Ground Socket Internal Dia Ground Socket External Dia Length Of Ground Socket Weight Foundation Depth* Foundation Square*

These are suggested dimensions only, actual measurements will depend on ground conditions 46.5mm 53.5mm 600mm 300g 580mm 500mm



EVENT BASEPLATE

This clever Event Baseplate has been designed for use on grass or soft areas. It is easy to use with no specialist equipment required. The Event Baseplate provides a strong and secure base yet is easy to remove, once removed, there are no large holes left in the ground and the unit can be used again and again. Because there is no need for foundations, there is no concrete required thus making this a very economic and environmentally friendly option for soft ground.

Templates are available to help positioning multi-pole installations.

SPECIFICATIONS

Pole Height	
Anchor Length	
Anchor Diameter	
Anchor Head Size	
Anchor Bolt Size	
Baseplate 'Footprint Diameter'	
Baseplate Depth	
Spigot Length	
Spigot External Diameter	
Overall Baseplate Height	
Total Weight	
(3 anchors & 1 baseplate)	

4m /4.8m 5m/5.8m 440mm 500mm 30mm 40mm 22mm 17mm M12 M10 270mm 270mm 5mm 5mm 24mm 24mm 40mm 40mm 25mm 25mm 3.7kg 6kg



D-BARRIER CLAMP

These clever Clamps have been specifically designed to be used on the D-barriers found around many sites. They enable you to make use of these existing structures providing permanent fixtures without the need for ground excavations. Easy to use and aesthetically pleasing look, they provide increased on-site safety due to the strength of the steel brackets. They are used in conjunction with a ground socket which prevents damage to your flagpole.

You will need to know the diameter of your D-Barrier to order the correct gauge clamp. We stock the standard size of 76mm diameter, if the upright of your barrier or structure is wider than this, please contact our sales office who will be able to assist you with other non stock sizes.

SPECIFICATIONS

Ground Socket Internal Dia Ground Socket External Dia Length Of Ground Socket Clamp Dimensions Small Hole Diameter Large Hole Diameter Total Weight Of Kit (2 clamps & ground socket) 46.5mm 53.5mm 600mm 198x100x20mm 55mm 77mm 3.38kg



WALL MOUNTED SOCKET

The wall mounted socket can be used on most walls or fences, again it is making the most of existing structures, ideal for situations where digging foundations or using a ground level base solution is not option. Prior to installing any wall mounted flagstaff, we recommend that you seek advice regarding the suitability of where you intend in install and also the structural soundness of the surface in question. If you are installing a pole with a rotating arm, there must be adequate room for the arm to rotate freely without hitting any obstacles. The brackets are supplied without any bolts, these will dependant on the structure the brackets are being installed on. The kit comes complete with a ground socket into which the pole is inserted, this prevents damage to your pole.

SPECIFICATIONS

Ground Socket Internal Dia Ground Socket External Dia Length Of Ground Socket Weight Bracket Plate Size Bracket Internal Diameter Bolt Hole Diameter Distance Between Top And Bottom Bracket (centre of hole to hole) Total Weight Of Kit 46.5mm 53.5mm 600mm 300g 200mm x 100mm 55mm 14mm

590mm 4.43kg



EVENT WATERBASE

The Event Waterbase can be used on any level surface. The robust waterbases are easy to transport and can be filled up on site with water. Once stacked and secured together, the spigot can be positioned down the central hole providing a strong and sturdy insert for your pole to sit on. There is an option for a cover which sits over the stack of bases providing a more aesthetic look these can be plain or custom printed with your branding, making it the ideal solution for your event.

SPECIFICATIONS

Waterbase Size Waterbase Weight (empty) Waterbase Weight (full) Length Of Spigot Diameter Of Spigot Wall Width Of Spigot Weight Of Spigot Weight Of Complete Unit (3 bases + spigot) (empty) Weight Of Complete Unit (3 bases + spigot) (full) 60cm x 60cm x 13cm 4kg 40kg 100cm 40mm 3mm 1kg 13kg 121kg





- > Lightweight and portable
- > Simple to assemble, no tools required
- > Fashionable feather shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

ZEPHYR



SPECIFICATIONS

Display Height Storage Height Flag Size Weight (each) Construction Materials

*Extension pole can only be used on the mini, small and medium unit

Large

5.2m 1.55mm 0.65m x 4m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium

3.7m 1.55mm 0.65m x 2.7m 0.6kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Small

2.6m 1.05mm 0.65m x 1.8m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini

2.0m 1.05mm 0.65m x 1.4m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

EURO RANGE





- > Lightweight and portable
- > Simple to assemble, no tools required
- > Popular and stylish wide format shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*



SPECIFICATIONS

Classic Shape

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on mini, small, medium unit


Large 3.3m 1.55m

1.55m 1.32m x 2.44m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Medium

2.9m 1.55m 1.16m x 2m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening 2.25m 1.55m 0.92m x 1.38m 0.55kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Mini

1.6m 1.05m 0.6m x 1.1m 0.35kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

RANGE



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Popular and stylish wide format shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in two sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

<image>

SPECIFICATIONS

Teardrop Shape

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on small and medium unit

Medium

3.5m 1.55m 0.9m x 2.7m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Small

3.1m 1.55m 0.8m x 2.2m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Popular and stylish teardrop shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in two sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

<image>

SPECIFICATIONS

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on the small unit


Small

2.2m 1.55m 0.86m x 1.86m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Large


3.6m 1.55m 0.86m x 3.39m 1kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



ZEPHYR



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Stunning shape with extra large design area
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*



SPECIFICATIONS

Display Height Storage Height Flag Size Weight (each) Construction Materials:

*Extension pole can only be used on mini, small and medium unit

Large

3.1m 1.55m 0.9m x 2.7m 0.95kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium

2.6m 1.55m 0.9m x 1.8m 0.8kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Small 2.1m 1.05m 0.9m x 1.5m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening Mini

1.6m 1.55m 0.4m x 1.3m 0.4kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

EURO RANGE



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Exciting new shape
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

ZEPHYR

SPECIFICATI Medium Small Large

Display Height Storage Height Flag Size Weight (each) Construction Materials:

*Extension pole can only be used on mini, small and medium unit

3.1m 1.55m 0.9m x 2.7m 0.95kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening


2.6m 1.55m 0.9m x 1.8m 0.8kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

2.1m 1.05m 0.9m x 1.5m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini

1.6m 1.55m 0.4m x 1.3m 0.4kg Aluminium Poles Fibreglass Rods **Plastic Fixtures** Steel Fastening

XPG04



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Traditional rectangular shape, landscape or portrait
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in four sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

SPECIFICATIONS

Display Height Storage Size Flag Size Weight (each) Construction Materials:

*Extension pole can only be used on mini, small and medium unit

Large

3m 1.55m 0.9m x 2.7m 1kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium


2.5m 1.55m 0.6m x 1.8m 0.6kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Smal

1.8m 1.05m 0.45m x 1.5m 0.5kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini

1.3m 1.05m 0.4m x 1.1m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



- > Lightweight and portable
- > Simple to assemble, no tools required
- > Eye catching shape with an extra wide format
- > Can be used on any surface
- > Tension adjuster ensures a perfect fit every time
- > Packs down to 1.55m into it's own carry bag
- > Available in two sizes
- Can be mounted on a wide range of Euro bases
- > Optional 1.5m extension pole available*

<image>

SPECIFICATIONS

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on the small unit

Medium

3m 1.55m 0.98m x 1.88m 0.75kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Small

2.5m 1.55m 0.85m x 1.61m 0.7kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening



- > Functional, stylish design
- > High quality, robust, rotationally moulded plastic
- > Tested and proven in demanding weather conditions
- > Wide profile to maximise stability
- > Ideal for both indoor and outdoor use
- > Removable steel spigot allows easy transportation
- > Spigot clips under base for storage
- > Bases stack when not in use
- > Can be filled with water, sand or both

SPECIFICATIONS

Vega Base Size Weight (each)

Nova Base: Size Weight (each)

Construction materials

370mm x 370mm x 200mm 1.9kg (empty) 13kg (filled with water) 20kg (filled with sand)

610 x 610 x 200mm 4.6kg (empty 30kg (filled with water) 20kg (filled with sand)

Polyethylene plastic, Plastic fixtures Steel spigot (removable) Other base colours are available



GROUND MOUNTS

IN-GROUND MOUNT

This stainless steel mount can be pressed permenantly into lawns or concreted into place.

When not in use simply remove the spigot and fit the rubber plug to keep out dirt.

As the top plate is flush with surface there is no restriction to pedestrians or lawn mowing.

SPECIFICATIONS

Size: 300mm x 100mm x 100mm

Weight (each): 0.65kg

Construction materials: Stainless Steel

GROUND STAKE

Economical and portable, this zinc plated steel mounting will provide sturdy support in most ground conditions.

It can be tapped into the ground with a hammer or mallet and is easy to remove.

Ensure the stake is vertical and push firmly into the ground. Tap the top of the angled steel section with a mallet until at least 70% has gone into the ground. Do not hammer the 12mm spigot. Fit the pole over the spigot.

SPECIFICATIONS

Size: 620mm x 70mm x 25mm

Weight (each): 0.65kg

Construction materials: Zinc Plated Steel













OTHER MOUNTS & ACCESSORIES

ANGLED FIXED MOUNT

This 30° angled zinc plated steel mount is designed for use on walls, fences or platforms. It allows the pole to rotate freely in the wind, and to be easily displayed or removed as required. Attach with bolts and or screws* as appropriate. 'U' bolts can be used for fixing to poles or fence posts up to 55mm diameter. *not supplied

SPECIFICATIONS

Size: 260 x 100 x 150mm

Weight each: 0.65kg

Construction materials: Zinc Plated Steel

Angle: 30°

Mounting design may vary slighly from illustration.

JOCKEY WHEEL ADAPTOR

The jockey wheel adapter has been especially designed for displaying the Euro poles on a caravan jockey wheel.

The spigot which goes into the jockey wheel is 42mm in diameter. Perfect for instant displays at Caravan Parks.

SPECIFICATIONS

Size: 260 x 50 x 50mm

Weight each: 0.65kg

Construction materials: Plastic Zinc Plated Steel



Mounting design may vary slighly from illustration.

VERTICAL FIXED MOUNT

The vertical zinc plated steel mount is designed for use on walls, fences or platforms. It allows the pole to rotate freely in the wind, and to be easily displayed or removed as required. Attach with bolts and or screws* as appropriate. 'U' bolts can be used for fixing to poles or fence posts up to 55mm diameter. *not supplied

SPECIFICATIONS

Size: 290 x 100 x 60mm

Weight each: 0.65kg

Construction materials: Zinc Plated Steel

Angle: 90°

Mounting design may vary slighly from illustration.

CARRY BAGS

A carry will make transporting your display safe and convenient and will ensure your display always arrives at it's destination looking its best.

Pole Carrying Bag (Green) A robust slim carry bag designed to fit the pole, flag/ banner and ground stake mounting option.

Vega/Nova Carrying Bag (Green) A robust carrying bag designed to carry the vega/nova base.

SPECIFICATIONS

Vega Bag Size: 530 x 560mm

Nova Bag Size: 720 x 720mm

Weight (each): 0.1kg


Construction Materials: PU Coated Heavy Duty Nylon

Colours: Green









- > Can be used anywhere a car is parked
- > High quality, robust steel plate
- > Zinc plated with a black powder coated finish
- > Tested and proven in demanding weather conditions
- > Removable steel spigot allows easy transportation
- > Only weighs 2.4kg
- > Custom rotating spigot option available



SPECIFICATIONS

Size: 405mm x 210mm x 70mm (250mm long spigot is extra)

Weight (each): 2.4kg

Construction Materials: Powder Coated Zinc Plated Steel Steel Spigot

Colours: Black

The Car Wedge Mount is designed to fit under the wheel of a car creating a sturdy mounting point for your display.

The spigot is removable for easy storage and transportation.


Fit the 12mm spigot into the holder in the base plate of the car wedge mount. Tighten handle ensuring it is a secure fit.

Position your car wheel over the base. Choose an appropriate safe and flat site, and carefully position your pole over the 12mm spigot



PRINTED FLAGS





Here at Zephyr we utilise both Silk screen and Digital printing onto a variety of polyester and coated substrates. Currently screen printing is still the most cost effective process for large quantities, it produces strong vibrant colours and can produce designs in both line colour or 4 colour process or a combination of both. The resulting printed flag is suitable for exterior and interior use being both waterproof with a good light fastness, and lightweight which means that larger flags can be flown for instance where the heavier appliqued version cannot.

For shorter runs and more complex 4 colour process designs, digital printing is the most suitable method. This method allows for a faster turn around since it is a more simplified process.

Printed flags are available as single or double sided, we can also print badges which in turn can be appliqued onto a flag. From large flags, shaped flags to small pennants and burgees we can meet your demand and quality expectations.

Our most common substrate is knitted zephpol, (knitted polyester 110g) usually printed as a single thickness flag, reading correctly from one side and mirror image on the reverse.

Flags are available as double sided with an interliner, this option is only suitable for portrait designs with an arm, for double sided landscape flags, we recommend using our black backed material, these though cannot be rewashed unlike many of our other substrates, the double sided flags are heavier and this will need to be taken into consideration when being flown.

We are constantly asked for harder wearing flags, flags that remain intact for much longer avoiding expensive site visits to change flags and environmentally friendly by printing less flags.

Our solution is our Zephpol IEP (Intelligent Engineered Polyester) a breakthrough against natural wear and tear, engineered cloth that protects against the elements. Single thickness 155g flags printed from each side to give enhanced graphic reading correctly from one side and mirror image on the reverse. There is of course an initial high outlay for flags of such quality and longevity but recouped handsomely over their lifetime. We have a growing number of testimonials from house builders and developers championing the product.

For further information on the choices of cloth, please refer to the enclosed list.

APPLIQUED FLAGS





Appliqued flags are the original and traditional form of manufacturing flags and banners, it involves layering different coloured knitted fabrics on top of each other, machining round and cutting away the piece of the cloth that is not required, the 'negative' of the image.

This method uses a specific colour range of knitted polyester, the material being appliqued on and the flag's woven base material, this means that there are limitations on colour and pantone references cannot be matched, we can provide colour swatches on request of our cloth's colour range so that nearest matches can be chosen.

This is a time consuming method from creating suitable artwork, plotting the design onto the relevant coloured material, machining each colour and then cutting away the 'negative' part of the design, thus it's also an expensive option of manufacture. The end result is a quality crafted sewn flag. For a completely appliqued flag, the best results are achieved with simplified designs, if your logo is more complex there is the option of digitally printing the logo as a badge and appliquing this onto the woven cloth ground. Appliqued flags are available as a single or double sided flag and can be finished in various ways ready for hoisting.



- > Custom size and shapes to suit your table
- > Lightweight and portable, easy to transport
- > Machine washable
- > Economic form of advertising
- > Screen or digitally printed
- > Choice of substrates available
- > Continue your branding through your company to your tables
- > Table runners also available
- > Single or multiple runs





- > Array of shapes and sizes, single or double sided
- > Bunting is the quintessential British event decoration
- > Different material options
- > Stock designs available
- Strings of 10m from recycled flags
- > A bunting for any occasion
- > Standard sizes: 20 x 30cm in 10m lengths
- > 24 pennants per string
- > Larger strings available



-

11 A 11

3

Zephyr, Acorn Industrial Estate Islip, Northamptonshire NN14 3FD (Tel) +44 (0) 1832 734484 www.zephyr-tvc.com