



FLAGS

PORTRAIT

Knitted polyester flags, 90cm x 180cm, finished hemmed on two sides, sleeved across the top to take an arm and sleeved down the hoist with three eyelets and a dring at the bottom.

LANDSCAPE

Knitted polyester flags, 180cm x 90cm, finished hemmed on three sides, sleeved down the hoist with a dring top and bottom.



FLAGMASTER FLAGPOLE

The Flagmaster is produced from 2.5mm thickness engineering grade 6082 T6 Aluminium alloy. It is strong and hardwearing, finished in a smooth white powder coat. This pole comes in two sections, available as a 6m

SPECIFICATIONS

Flagstaff Height Height Above Ground Top Section Diameter Length Of Top Section Bottom Section Diamater Wall Thickness Length Of Bottom Section Ground Socket Int Diameter Ground Socket Ext Diameter Length Of Ground Socket Overall Length Of Flagstaff Packed Size Weight Foundation Square Foundation Depth Max Flag Size (Portrait) Max Flag Size (Port d/sided) Min Persons For Installation

- 6.5m 6m 64mm 3.2m 75mm 2.5mm 3.5m 75mm 83mm 600mm 6.5m 3.8m x 0.1m x 0.1m 15kg 500mm 580mm 1m x 2.5m 1m x 2m 2
- 8m 7.25m 64mm 3.2m 75mm 2.5mm 5m 75mm 83mm 850mm 8m 5.3m x 0.1m x 0.1m 18kg 500mm 800mm 1m x 2.5m 1m x 2m 2



FLAGTRAX

Flagtrax is a new and unique product which enables you to change flags from ground / lower levels quickly and easily, avoiding the use of lifts / cherry pickers and Road traffic management plans. The system comprises of a steel arm at the top, curved aluminium track and a push / pull raising and lowering mechanism. The unit can display flags up to 140cm wide and 400cm deep subject to the substrate you are fixing onto. Ideal for fixing onto existing lampposts, columns or walls, flagtrax offers a simplistic branding solution. When mounted centrally on a column two systems can be mounted together so that the display can be oriented in both directions to meet the footfall.

SPECIFICATIONS

Arm Length Arm Weight Track Length (Standard) Height of track bottom from ground level Min Column diameter* Standard flag sizes*:

*Custom sizes are available

85cm 4kg 4.34m 170cm 218cm 10cm 76cm x 140cm 76cm x 270cm 76cm x 200cm

BANNER MAST

The Banner Mast is produced from 3.2mm thickness engineering grade 6082 aluminium alloy, it is installed into a 1m long, PVC-U ground socket for extra stability and strength, the mast is bolted into the socket to prevent rotation and movement.

Standardly the pole comes in grey, other colours are available, minimum qty applies.

Strong high grade black fibreglass arms, designed to flex in the wind Powder coated aluminium brackets come in black, silver or white. The integrated spring loaded tensioning mechanism works with the arms to resist the wind loading on the banners. Each mast can accommodate up to two banners per column.

SPECIFICATIONS



POLE

Total Pole Height Exposed Pole Height Pole Weight Pole Diameter Wall Thickness Socket Length Socket Wall thickness Socket Outer Diameter Socket Weight 6m 5.15mm 17kg 101.6mm 3.2mm 1000mm 3.2mm 110mm 1kg

ARM UNIT Exposed Arm Length Arm Diameter Arm Weight Bracket Weight Combined unit Weight (2 arms & 2 brackets) Recommended Banner Size Maximum Banner Size

850mm 20mm 0.5kg 1.4kg

3.8kg 800mm x 2000mm 800mm x 2500mm

SPECIFICATIONS

Standard Panel Size	340cm (L) x 180cm (H) approx
Available Substrates	Knitted polyester, PVC Mesh Polyester air-mesh
Production Method	Digital and screen printed
Area Of Use	Outdoor
Delivery Schedule	12 - 15 w/days

HERAS BANNERS

Heras banners are a cost effective, high visual impact form of advertising. It is available in various substrates, in a single piece or as a length with multiple prints at custom lengths. These banners can improve site aesthetics adding privacy to your workforce. You can achieve a truly premium image for your company. An installation service is available upon request.









HD FEATHER POLE

The HD feather Pole is a single section pole, made from 2mm thick 6082 T6 tempered aluminium. It has been designed with strength in mind for continual use outside on a forecourt unlike it's portable equivalent. There are no joints in the pole avoiding a weak point where a pole can bend. This pole provides a stunning vista in large scale displays.

Available in two lengths, they can be powder coated in black or white as standard but custom colours are available for a minimum order quantity.

The rotating arm displays flags 80cm wide and up to 420cm long. Due to it's added strength the HD Feather Pole can display double sided flags up to 320cm long.

These poles can be installed onto various mounts as shown below.

BASE OPTIONS

Event Waterbase



Ground Socket



Event Baseplate



Wall Mounted Socket



SPECIFICATIONS

Pole Size Height above ground Length of curved arm Int dia curved arm Ext dia curved arm Length of main section Int dia main section Ext dia main section Weight Max flag size Packed size (Arm packed separately) Minimum persons for assembly Installation time 4.8m 4.8m 0.8m 25.63mm 28.57mm 4m 40.39mm 44.45mm 44.45mm 4kg 80cm x 320cm 5.05m x 0.1m x 0.1m 1.5m x 0.5m x 0.1m 1 10mins

5.8m 0.8m 25.63mm 28.57mm 5m 40.39mm 44.45 5kg 80cm x 420cm 6.05cm x 0.1m x 0.1m 1.5m x 0.5m x 0.1m 1

10mins



TEARDROP POLE

This popular and stylish shaped flag and pole is lightweight and portable. The Teardrop is available in two sizes and is easy to assemble with no tools required. There is a large graphic area, and with the aid of an adjustable cleat, the tension is maintained providing a permanent view of your design.

With a range of suitable mounts, it can be used on any surface. There is the option of a 1.5m extension pole if required.

SPECIFICATIONS

Small

Display Height Storage Height Banner Size Weight (each) Construction Materials:

* Extension pole can only be used on the small unit

2.2m 1.55m 0.86m x 1.86m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening 3.6m 1.55m 0.86m x 3.39m 1kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Large

FLEXILITE POLE

This fashionable feather shaped flag and pole is also lightweight and portable. The Flexilite is available in four sizes and is easy to assemble with no tools required. All of the flexilite poles collapse down and can be stored in a bag 1.55m long. With a range of suitable mounts, it can also be used on any surface. There is the option of a 1.5m extension pole if required.

SPECIFICATIONS

Display Height Storage Height Flag Size Weight (each) Construction Materials

*Extension pole can only be used on the mini, small and medium unit

Large

5.2m 1.55mm 0.65m x 4m 0.65kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Medium

3.7m 1.55mm 0.65m x 2.7m 0.6kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Small

2.6m 1.05mm 0.65m x 1.8m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening

Mini

2.0m 1.05mm 0.65m x 1.4m 0.45kg Aluminium Poles Fibreglass Rods Plastic Fixtures Steel Fastening







The Roller banner Lite is a Quickroll lightweight banner stand with anodised aluminium body, Pre-tensioned spring (no need to roll up and store graphics seperately), Elasticated pole stores inside stand when not in use, comes complete with 850 mm wide graphic panel in 125 micron opal jet film with scratch resistent crystal overlaminate, packed in a padded carry bag. Exceedingly portable, a perfect asset to any exhibition, the Roller Banner can be installed in minutes and when finished with, it is simply stored back in it's own base unit. Although lightweight, this unit is resiliant and sturdy due to its two foldable feet which turn outwards to provide stability

SPECIFICATIONS

Banner Size Unit O/A Size

Unit Weight

80cm x 200cm 86cm x 231cm x 40cm 2.69kg 85cm x 200cm 91cm x 231cm x 40cm 2.84kg

EVERS AS

POP-UP FABRIC BACKDROP

This large, high impact display unit perfect for exhibitions and showrooms. It is available in three sizes and comes with single or double sided graphics. The unit can be assembled by one person, with easy to fit silicon edged graphics. The backdrop has feet for maximum stability and is supplied with it's own carry case for ease of transport.

There is an addition option of a LED ladder of lights which are secured inside the unit to make it into a lightbox.

SPECIFICATIONS

 2×3

Unit Size Unit Height Unit Width Unit Depth Unit Weight (incl Graphic) Shipping Size Unit weight (incl lights)* Shipping Size (incl lights)*

Assembly time Assembly time (with lights)

2 / 0
225cm
149cm
36cm
13kg
86cm x 36cm x 23cm
19kg
3 bags:
1 x 86cm x 36cm x 23cm
2 x 33cm x 30cm x 94cm
10mins
15mins

3 x 3 225cm 225cm 36cm 14.5kg 86cm x 36cm x 23cm 25kg 4 bags: 1 x 86cm x 36cm x 23cm 3 x 33cm x 30cm x 94cm 15mins 20mins

225cm 299cm 36cm 16.5kg 86cmx36cmx23cm 19kg 5 bags: 1 x 86cm x 36cm x 23cm 4 x33cmx30cmx94cm 20mins 25mins

4 x 3





Bunting is available in a variety of shapes and sizes.

It can be suppplied as single or double sided pennants. Standard size offered is 20cm x 30cm pennants in a 10m string. Strings are available in a number of materials.

Perfect decoration for any event indoors or outdoors.

SPECIFICATIONS

Banner Size Unit O/A Size

Unit Weight


80cm x 200cm 86cm x 231cm x 40cm 2.69kg 85cm x 200cm 91cm x 231cm x 40cm 2.84kg

FLEXI BANNER

The Flexi Banner is perfect for any outdoor event. It expands for instant impact, it is lightweight and easily transportable. The frame itself is constructed from flexible fibreglass with the banners produced from heavy duty polyester. Available in a variety of shapes and sizes with the graphics viewable on both sides. The unit is supplied complete with pegs and carry bag


FKIER

SPECIFICATIONS




Sizes: 140cm x 75cm 180cm x 80cm 230cm x 100cm

Heavy knitted polyester banner with carbon fibre frame




Sizes: 130cm x 66cm 169cm x 69cm 204cm x 104cm

Heavy knitted polyester banner with carbon fibre frame



Sizes: 74cm diameter 124cm diameter 144cm diameter

Heavy knitted polyester banner with carbon fibre frame



Sizes: 74cm x 90cm 92cm x 110cm 106cm x 125cm

Heavy knitted polyester banner with carbon fibre frame



For more information or to place an order please contact Matthew Hutt mhutt@zephyr-tvc.com DD: 01832 737788. Mobile:07957377850